

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
2,633	86	2.375	0.190	4.70	N-80	EUE	ERW	R-2	MTRS	TUBO CARIBE
491	15	2.375	0.190	4.70	P-110	EUE 8RD	SMLS	R-2	MTRS	VSTAR
1,721	55	3.500	0.254	9.20	L-80	VAM TOP	SMLS	R-2	MTRS	NSSMC
1,142	36	3.500	0.254	9.20	HYPER 110 13CR	FOX BBE	SMLS	R-2	MTRS	KAW
128	3	4.500	0.224	10.24	L-80 13CR	PE	SMLS	R-3	MTRS	SUM
168	4	4.500	0.250	11.60	J-55	BTC	ERW	R-3	MTRS	TEN
4,132	97	4.500	0.250	11.60	N-80	BTC	ERW	R-3	MTRS	TEN- CR
1,254	31	4.500	0.250	11.60	N-80	DTS-4	ERW	R-3	MTRS	TEN- CR
34	1	4.500	0.250	11.60	N-80	DTS-4	ERW	R-2	MTRS	TEN- CR
68	2	4.500	0.250	11.60	N-80	LTC	ERW	R-2	MTRS	MAV
20,718	455	4.500	0.271	12.25	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
40,558	875	4.500	0.271	12.25	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
12,990	283	4.500	0.271	12.25	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
22,290	483	4.500	0.290	13.05	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
1,492	33	4.500	0.290	13.05	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
2,175	51	4.500	0.290	13.50	L-80	LTC	ERW	R-3	MTRS	HUSTEEL
361	10	4.500	0.290	13.50	N-80	LTC	ERW	R-3	MTRS	TEN
84	2	4.500	0.290	13.50	N-80	LTC	ERW	R-3	MTRS	MAV
25,072	540	4.500	0.290	13.05	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
1,312	37	4.500	0.290	13.50	P-110/M-95	LTC	ERW	R-3	MTRS	TEN
18,160	393	4.500	0.337	15.00	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
10,403	328	4.500	0.337	15.50	L-80	PE UPSET	SMLS	R-2	MTRS	KOP
10,646	230	4.500	0.337	15.00	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
3,997	88	4.500	0.337	15.10	P-110 IC	BTC MOD	SMLS	R-3	MTRS	SID
1,491	32	4.500	0.337	15.10	P-110 IC	BTC MOD	SMLS	R-3	MTRS	ALG
662	16	4.500	0.337	15.10	P-110/M-95	LTC	ERW	R-3	MTRS	TEN
831	20	4.500	0.337	15.10	P-110/M-95	LTC MOD	ERW	R-3	MTRS	TEN
29,101	629	4.500	0.337	15.00	Q-125 HC	PE	SMLS	R-3	MTRS	VSTAR
12	1	4.500	0.373	16.54	P-110	PE	SMLS	DROP	MTRS	USS
3,077	72	4.500	0.373	16.60	P-110	LTC	SMLS	R-3	MTRS	USS
226	13	4.500	0.375	16.54	Q-125	PE	SMLS	DROP	MTRS	USS
904	19	4.500	0.375	16.60	Q-125	LTC	SMLS	R-3	MTRS	USS
6,724	149	5.000	0.362	17.95	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
8,196	176	5.000	0.362	17.95	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
695	15	5.000	0.362	18.00	L-80	TSH 513	SMLS	R-3	MTRS	TEN-AT
17,948	386	5.000	0.362	17.95	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
46	1	5.000	0.362	18.00	P-110 EC	DWC/C-SR	SMLS	R-3	MTRS	VSTAR
10,256	226	5.000	0.362	17.95	Q-125 HC	PE	SMLS	R-3	MTRS	VSTAR

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
8,320	180	5.000	0.437	21.32	L-80 HCE	PE	SMLS	R-3	MTRS	VSTAR
2,291	53	5.000	0.437	21.32	T-95	PE	SMLS	R-3	MTRS	VMS
7,275	156	5.000	0.437	21.32	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
877	19	5.000	0.437	21.32	P-110 MS	PE	SMLS	R-3	MTRS	VSTAR
593	13	5.000	0.437	21.32	P-110 RY	PE	SMLS	R-3	MTRS	VSTAR
509	12	5.000	0.437	21.40	P-110 EC	DWC/C	SMLS	R-3	MTRS	VSTAR
45	1	5.000	0.478	23.20	C-90	VAM-TOP	SMLS	R-3	MTRS	TCA
37	1	5.000	0.478	23.11	T-95	PE	SMLS	R-3	MTRS	VMS
10,132	226	5.000	0.478	23.11	T-95	PE	SMLS	R-3	MTRS	VM TCA
47	1	5.000	0.478	23.11	T-95 HCE	PE	SMLS	R-3	MTRS	VMS
6,824	164	5.000	0.478	23.20	T-95	VAM-TOP	SMLS	R-3	MTRS	SUM
909	22	5.000	0.478	23.20	SM-95S	VAM-TOP	SMLS	R-3	MTRS	SUM
924	23	5.000	0.478	23.20	SM-95S	HYD 563	SMLS	R-3	MTRS	SUM
135	3	5.000	0.478	23.11	C-110	PE	SMLS	R-3	MTRS	VM TCA
2,387	53	5.000	0.478	23.11	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
73	2	5.000	0.478	23.11	P-110 MS	PE	SMLS	R-3	MTRS	VSTAR
9,152	198	5.000	0.478	23.20	P-110	VAMTOP HT	SMLS	R-3	MTRS	USS
636	14	5.000	0.478	23.20	P-110 EC	DWC/C	SMLS	R-3	MTRS	VSTAR
9,780	214	5.000	0.478	23.11	Q-125 HC	PE	SMLS	R-3	MTRS	VSTAR
1,686	40	5.000	0.500	24.05	T-95 E	PE	SMLS	R-3	MTRS	VM TCA
14,211	309	5.500	0.275	15.36	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
90	2	5.500	0.304	16.89	J-55	PE	SMLS	R-3	MTRS	VMS
23,416	510	5.500	0.304	16.89	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
87	2	5.500	0.304	16.89	L-80	PE	SMLS	R-3	MTRS	VMS
8,359	180	5.500	0.304	16.89	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
87	2	5.500	0.304	17.00	L-80	LTC	ERW	R-3	MTRS	TEN
2,957	65	5.500	0.304	16.89	N-80-1	PE	SMLS	R-3	MTRS	VSTAR
46	1	5.500	0.304	17.00	N-80	LTC	SMLS	R-3	MTRS	USS
407	9	5.500	0.304	17.00	N-80-1	BTC	SMLS	R-3	MTRS	VSTAR
464	10	5.500	0.304	17.00	N-80-1	BTC MOD	SMLS	R-3	MTRS	VSTAR
15,205	329	5.500	0.304	16.89	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
232	5	5.500	0.304	16.89	P-110 MS	PE	SMLS	R-3	MTRS	VSTAR
1,074	25	5.500	0.304	16.89	P-110 MS	PE	SMLS	R-3	MTRS	VMS
220	5	5.500	0.304	16.89	P-110 RY	PE	SMLS	R-3	MTRS	VSTAR
1,227	29	5.500	0.304	16.89	P-110 HC	HYD 521	SMLS	R-3	MTRS	TEN-SL
8,970	207	5.500	0.304	17.00	P-110 EC	BTC	SMLS	R-3	MTRS	VSTAR
114	3	5.500	0.304	17.00	P-110 EC	DWC/C	SMLS	R-3	MTRS	VSTAR
40	1	5.500	0.304	17.00	P-110 EC	DWC/CIS PLUS	SMLS	R-3	MTRS	VSTAR
604	13	5.500	0.304	17.00	P-110 EC	DWC/C-IS PLUS	SMLS	R-3	MTRS	VSTAR
42	1	5.500	0.304	17.00	P-110 EC	LTC	SMLS	R-3	MTRS	VMS
17,911	387	5.500	0.361	19.83	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
25,248	544	5.500	0.361	19.83	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
21,869	470	5.500	0.361	19.83	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
3,868	85	5.500	0.361	19.83	P-110 RY	PE	SMLS	R-3	MTRS	VSTAR
503	11	5.500	0.361	20.00	P-110 EC	DWC/C	SMLS	R-3	MTRS	VMS
8,573	188	5.500	0.361	19.83	Q-125 HC	PE	SMLS	R-3	MTRS	VSTAR
6,324	154	5.500	0.361	19.83	Q-125-1 HCE	PE	SMLS	R-3	MTRS	VSTAR
7,763	174	5.500	0.415	22.56	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
6,535	150	5.500	0.415	22.56	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
276	6	5.500	0.415	23.00	L-80 HC	BTC	SMLS	R-3	MTRS	VSTAR
4,444	104	5.500	0.415	22.56	T-95	PE	SMLS	R-3	MTRS	VSTAR
525	12	5.500	0.415	22.56	T-95	PE	SMLS	R-3	MTRS	VM TCA
1,210	27	5.500	0.415	22.56	T-95 E	PE	SMLS	R-3	MTRS	VSTAR
4,324	92	5.500	0.415	23.00	T-95-1	TSH BLUE	SMLS	R-3	MTRS	TEN- SD
69	3	5.500	0.415	23.00	T-95-1	TSH BLUE	SMLS	PUPS	MTRS	TEN- SD
47	1	5.500	0.415	23.00	T-95	HYD 563	SMLS	R-3	MTRS	TEN- SD
12,215	269	5.500	0.415	22.56	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
503	11	5.500	0.415	22.56	P-110 MS	PE	SMLS	R-3	MTRS	VSTAR
15,865	349	5.500	0.415	22.56	Q-125 HC	PE	SMLS	R-3	MTRS	VSTAR
3,933	87	5.500	0.476	25.56	L-80	PE	SMLS	R-3	MTRS	VMS
6,731	148	5.500	0.476	25.56	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
3,563	80	5.500	0.476	25.56	L-80 HCE	PE	SMLS	R-3	MTRS	VSTAR
856	20	5.500	0.476	25.56	T-95 E	PE	SMLS	R-3	MTRS	VSTAR
5,499	122	5.500	0.476	26.00	T-95	TSH 563	SMLS	R-3	MTRS	TEN- TM
45	1	5.500	0.476	25.56	P-110	PE	SMLS	R-3	MTRS	VM TCA
1,232	28	5.500	0.476	25.56	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
332	8	5.500	0.476	25.56	P-110 MS	PE	SMLS	R-3	MTRS	VSTAR
1,035	23	5.500	0.476	25.56	P-110 MS	PE	SMLS	R-3	MTRS	VMS
8,232	177	5.500	0.476	25.56	P-110	513	SMLS	R-3	MTRS	TEN- TM
719	19	5.500	0.476	25.56	P-110	HYD 513	SMLS	R-3	MTRS	SID
2,204	48	5.500	0.476	25.56	P-110 EC	513	SMLS	R-3	MTRS	VSTAR
82	4	5.500	0.476	25.56	P-110 EC	513	SMLS	R-1	MTRS	VSTAR
1,198	27	5.500	0.476	25.56	P-110 ICY	HYD 625	SMLS	R-3	MTRS	TEN- SD
46	1	5.500	0.476	25.56	P-110 RY	SFC	SMLS	R-3	MTRS	VMS
45	1	5.500	0.476	26.00	P-110 HC	HYD 563	SMLS	R-3	MTRS	TEN- SD
6,642	146	5.500	0.476	25.56	Q-125 HC	PE	SMLS	R-3	MTRS	VSTAR
1,032	24	5.500	0.476	25.56	Q-125-4 HC	PE	SMLS	R-3	MTRS	VM TCA
1,789	40	5.500	0.476	26.00	Q-125-4 HC	TCII	SMLS	R-3	MTRS	VM TCA
3,768	85	5.500	0.500	26.73	T-95	PE	SMLS	R-3	MTRS	VM TCA
26,635	582	6.625	0.352	23.60	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
5,206	120	6.625	0.352	23.60	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
3,533	77	6.625	0.417	27.67	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
5,701	128	6.625	0.417	27.67	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
5,589	123	6.625	0.417	27.67	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
4,204	91	6.625	0.475	31.23	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
4,862	107	6.625	0.475	31.23	L-80	PE	SMLS	R-3	MTRS	VSTAR
10,381	223	6.625	0.475	31.23	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
403	11	7.000	0.231	17.00	H-40	STC	ERW	R-3	MTRS	TEN
273	6	7.000	0.317	22.65	J-55	PE	SMLS	R-3	MTRS	VSTAR
41	1	7.000	0.317	23.00	J-55	LTC	SMLS	R-3	MTRS	VSTAR
7,160	158	7.000	0.317	22.65	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
6,677	151	7.000	0.317	22.65	L-80	PE	SMLS	R-3	MTRS	VMS
7,689	171	7.000	0.317	22.65	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
1,228	27	7.000	0.317	22.65	VM-80	PE	SMLS	R-3	MTRS	VSTAR
940	22	7.000	0.317	23.00	M-80	LTC	ERW	R-3	MTRS	MAV
727	17	7.000	0.317	23.00	N-80	LTC	SMLS	R-3	MTRS	ESCHWLR
802	22	7.000	0.317	23.00	N-80	LTC	ERW	R-3	MTRS	TEN
3,811	91	7.000	0.317	22.65	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
3,384	78	7.000	0.317	22.65	P-110 EC	PE	SMLS	R-3	MTRS	VMS
4,075	93	7.000	0.317	22.65	P-110 RY	PE	SMLS	R-3	MTRS	VSTAR
1,223	27	7.000	0.317	23.00	P-110 EC	LTC	SMLS	R-3	MTRS	VMS
462	13	7.000	0.317	23.00	P-110/M-95	BTC	ERW	R-3	MTRS	TEN
1,979	56	7.000	0.317	23.00	P-110/M-95	LTC	ERW	R-3	MTRS	TEN
227	6	7.000	0.317	22.65	SM25CRW125	PE	SMLS	R-3	MTRS	SUM
1,843	44	7.000	0.362	26.00	J-55	LTC	SMLS	R-3	MTRS	VSTAR
2,061	45	7.000	0.362	26.00	J-55	LTC	SMLS	R-3	MTRS	VMS
10,715	237	7.000	0.362	25.69	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
11	2	7.000	0.362	25.69	L-80	PE	SMLS	DROP	MTRS	VMS
18,382	409	7.000	0.362	25.69	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
81	2	7.000	0.362	26.00	L-80 HC	LTC	SMLS	R-3	MTRS	VSTAR
40	1	7.000	0.362	25.69	N-80	8 RD PXP	SMLS	R-3	MTRS	ESCHWLR
377	9	7.000	0.362	26.00	M-80	LTC	ERW	R-3	MTRS	TEN
80	2	7.000	0.362	26.00	M-80	LTC	ERW	R-3	MTRS	MAV
727	20	7.000	0.362	26.00	N-80	LTC	ERW	R-3	MTRS	TEN
3,951	91	7.000	0.362	25.69	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
436	10	7.000	0.362	26.00	P-110	LTC	SMLS	R-3	MTRS	VSB
548	14	7.000	0.362	26.00	P-110	LTC	SMLS	R-3	MTRS	JIANLI
34	1	7.000	0.362	26.00	P-110	LTC	SMLS	R-3	MTRS	CHENGDU
8,211	189	7.000	0.362	26.00	P-110 EC	LTC	SMLS	R-3	MTRS	VSTAR
44	1	7.000	0.362	26.00	P-110 HC	HDL	ERW	R-3	MTRS	NEXT
91	2	7.000	0.362	26.00	P-110 RY	LTC	SMLS	R-3	MTRS	VMS
18	2	7.000	0.362	26.00	P-110 RY	LTC BOX X PE	SMLS	DROP	MTRS	VMS
1,506	44	7.000	0.362	26.00	P-110/M-95	LTC	ERW	R-2/3	MTRS	TEN
37	1	7.000	0.408	28.75	L-80	PE	SMLS	R-3	MTRS	VSTAR
42	1	7.000	0.408	28.75	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
42	1	7.000	0.408	28.75	L-80 HC	PE	SMLS	R-3	MTRS	TEN- TM
669	16	7.000	0.408	29.00	L-80	DWC/C	SMLS	R-3	MTRS	VSTAR
658	16	7.000	0.408	29.00	L-80	LTC	SMLS	R-3	MTRS	VSTAR
1,013	23	7.000	0.408	29.00	L-80 HC	LTC	SMLS	R-3	MTRS	VSTAR
251	6	7.000	0.408	29.00	L-80 HC	LTC	SMLS	R-3	MTRS	VMS
7,316	170	7.000	0.408	29.00	L-80 HC	TSH BLUE	SMLS	R-3	MTRS	TEN- TM

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
2,466	53	7.000	0.408	28.75	N-80	PE	SMLS	R-3	MTRS	USS
44	1	7.000	0.408	28.75	T-95	PE	SMLS	R-3	MTRS	VM TCA
234	5	7.000	0.408	28.75	P-110	PE	SMLS	R-3	MTRS	VSTAR
2,096	49	7.000	0.408	28.75	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
4,499	100	7.000	0.408	28.75	P-110 RY	PE	SMLS	R-3	MTRS	VSTAR
2,759	62	7.000	0.408	29.00	P-110 EC	LTC	SMLS	R-3	MTRS	VSTAR
46	1	7.000	0.408	29.00	P-110 RY	BTC	SMLS	R-3	MTRS	VSTAR
367	8	7.000	0.408	29.00	P-110 RY	LTC	SMLS	R-3	MTRS	VSTAR
5,985	135	7.000	0.408	28.75	Q-125 HC	PE	SMLS	R-3	MTRS	VSTAR
5,519	120	7.000	0.453	31.70	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
139	3	7.000	0.453	31.70	L-80 HCE	PE	SMLS	R-3	MTRS	VSTAR
2,787	63	7.000	0.453	32.00	L-80 HC	LTC	SMLS	R-3	MTRS	VSTAR
1,959	44	7.000	0.453	31.70	T-95	PE	SMLS	R-3	MTRS	VSTAR
520	12	7.000	0.453	31.70	T-95	PE	SMLS	R-3	MTRS	VM TCA
17	1	7.000	0.453	31.70	T-95	PE	SMLS	DROP	MTRS	VM TCA
43	1	7.000	0.453	32.00	T-95	LTC	SMLS	R-3	MTRS	VSTAR
331	9	7.000	0.453	31.70	P-110	PE	SMLS	R-3	MTRS	VSTAR
3,787	84	7.000	0.453	31.70	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
522	12	7.000	0.453	31.70	P-110 MS	PE	SMLS	R-3	MTRS	VSTAR
679	15	7.000	0.453	32.00	P-110 MS	LTC	SMLS	R-3	MTRS	VSTAR
4,692	104	7.000	0.498	34.61	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
5,248	121	7.000	0.498	34.61	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
4,019	97	7.000	0.498	34.61	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
438	10	7.000	0.498	35.00	P-110	LTC	SMLS	R-3	MTRS	VM TCA
208	5	7.000	0.498	35.00	P-110 EC	BTC	SMLS	R-3	MTRS	VSTAR
508	12	7.000	0.498	35.00	P-110 EC	VAM TOP	SMLS	R-3	MTRS	VMS
42	2	7.000	0.498	35.00	P-110 EC	VAM TOP	SMLS	R-1	MTRS	VMS
3,979	91	7.000	0.498	34.61	Q-125 HC	PE	SMLS	R-3	MTRS	VSTAR
6,481	143	7.000	0.540	37.29	L-80	PE	SMLS	R-3	MTRS	VSTAR
4,669	103	7.000	0.540	37.29	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
6	1	7.000	0.540	37.29	T-95 HCE	PE	SMLS	DROP	MTRS	VMS
3,696	82	7.000	0.540	37.29	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
1,230	27	7.000	0.540	37.29	Q-125 HCE	PE	SMLS	R-3	MTRS	VSTAR
1,314	30	7.000	0.540	37.29	Q-125-1	PE	SMLS	R-3	MTRS	VMS
1,888	45	7.000	0.540	37.29	Q-125	SLIJ - II	SMLS	R-3	MTRS	VMS
1,130	26	7.000	0.540	37.29	TCA-150 Q1	ANJO	SMLS	R-3	MTRS	VM TCA
2,624	59	7.000	0.590	40.43	P-110 EC	PE	SMLS	R-3	MTRS	VMS
138	3	7.000	0.590	40.43	Q-125-3	PE	SMLS	R-3	MTRS	VMS
47	1	7.250	0.578	41.23	P-110 RY	PE	SMLS	R-3	MTRS	VSTAR
186	4	7.250	0.578	41.23	P-110 MS	PE	SMLS	R-3	MTRS	VSTAR
207	5	7.625	0.328	26.40	J-55	BTC	ERW	R-3	MTRS	NEXT

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
15,182	346	7.625	0.328	25.59	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
4,011	93	7.625	0.328	25.59	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
708	16	7.625	0.328	25.59	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
894	20	7.625	0.328	25.59	P-110 EC	PE	SMLS	R-3	MTRS	VMS
38	1	7.625	0.328	26.40	P-110 EC	LTC	SMLS	R-3	MTRS	VMS
46	1	7.625	0.375	29.06	L-80	PE	SMLS	R-3	MTRS	VMS
5,664	126	7.625	0.375	29.06	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
476	12	7.625	0.375	29.70	L-80	BTC	SMLS	R-3	MTRS	VSTAR
1,420	38	7.625	0.375	29.70	L-80	BTC MOD	SMLS	R-3	MTRS	VSTAR
317	9	7.625	0.375	29.70	L-80	BTC MOD	SMLS	R-3	MTRS	VMS
2,240	47	7.625	0.375	29.70	N-80	LTC	SMLS	R-3	MTRS	USS
119	3	7.625	0.375	29.06	P-110	PE	SMLS	R-3	MTRS	VSTAR
401	10	7.625	0.375	29.06	P-110	PE	SMLS	R-3	MTRS	VMS
6,473	140	7.625	0.375	29.06	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
112	3	7.625	0.375	29.06	P-110 EC	PE	SMLS	R-3	MTRS	VMS
308	7	7.625	0.375	29.06	P-110 MS	PE	SMLS	R-3	MTRS	VMS
46	1	7.625	0.375	29.06	P-110 RY E	PE	SMLS	R-3	MTRS	VMS
83	2	7.625	0.375	29.70	P-110	LTC	SMLS	R-3	MTRS	VMS
45	1	7.625	0.375	29.70	P-110	LTC	SMLS	R-3	MTRS	VM TCA
555	15	7.625	0.375	29.70	P-110 EC	BTC MOD	SMLS	R-3	MTRS	VSTAR
214	5	7.625	0.375	29.70	P-110 EC	LTC	SMLS	R-3	MTRS	VSTAR
223	5	7.625	0.375	29.70	P-110 EC	LTC	SMLS	R-3	MTRS	VMS
223	5	7.625	0.375	29.70	P-110 HC	LTC	SMLS	R-3	MTRS	USS
1,844	42	7.625	0.375	29.06	Q-125-1	PE	SMLS	R-3	MTRS	VMS
171	4	7.625	0.375	29.06	Q-125-1 HC	PE	SMLS	R-3	MTRS	VMS
541	12	7.625	0.375	29.06	Q-125-1 HCE	PE	SMLS	R-3	MTRS	VMS
268	6	7.625	0.375	29.06	Q-125-1 RY	PE	SMLS	R-3	MTRS	VM TCA
87	2	7.625	0.375	29.06	Q-125-1 RY HC	PE	SMLS	R-3	MTRS	VMS
47	1	7.625	0.375	29.06	Q-125-3	PE	SMLS	R-3	MTRS	VMS
42	1	7.625	0.375	29.70	Q-125-3	LTC	SMLS	R-3	MTRS	VMS
8,556	191	7.625	0.430	33.07	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
89	2	7.625	0.430	33.07	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
227	5	7.625	0.430	33.07	P-110 RY	PE	SMLS	R-3	MTRS	VM TCA
897	20	7.625	0.430	33.07	P-110 RY	A-NJO	SMLS	R-3	MTRS	VM TCA
6,648	150	7.625	0.430	33.07	P-110 RY	HYD 523	SMLS	R-3	MTRS	VMS
351	8	7.625	0.430	33.70	P-110 EC	LTC	SMLS	R-3	MTRS	VSTAR
4,134	91	7.625	0.500	38.08	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
2,219	49	7.625	0.500	38.08	L-80	PE	SMLS	R-3	MTRS	VSTAR
380	9	7.625	0.500	38.08	T-95	PE	SMLS	R-3	MTRS	VM TCA
998	23	7.625	0.500	39.00	T-95	MIXED	SMLS	R-3	MTRS	USS
43	1	7.625	0.500	38.08	SM-95S	ANJO	SMLS	R-3	MTRS	VM TCA
1,738	43	7.625	0.500	39.00	SM-95S	MIXED	SMLS	R-3	MTRS	SUM
524	12	7.625	0.500	38.08	P-110	HYD 513	SMLS	R-3	MTRS	VM TCA
2,007	45	7.625	0.500	38.08	P-110 EC	HYD 523	SMLS	R-3	MTRS	VM TCA
52,051	1208	7.625	0.500	38.08	P-110 RY	ANJO	SMLS	R-3	MTRS	VM TCA
105	5	7.625	0.500	38.08	P-110 RY	ANJO	SMLS	R-1	MTRS	VM TCA

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
5,031	112	7.625	0.500	38.08	Q-125 HC	PE	SMLS	R-3	MTRS	VSTAR
2,015	52	7.625	0.500	38.08	Q-125-1 HC	PE	SMLS	R-3	MTRS	VSTAR
224	5	7.625	0.500	38.08	Q-125-1 HC	PE	SMLS	R-3	MTRS	VSTAR
625	17	7.625	0.500	38.08	Q-125-1 HC	PE	SMLS	R-3	MTRS	VMS
533	12	7.625	0.500	38.08	Q-125-1 HCE	PE	SMLS	R-3	MTRS	VSTAR
318	7	7.625	0.562	42.43	T-95	PE	SMLS	R-3	MTRS	VM TCA
1,369	34	7.625	0.595	44.71	VMS-140	PE	SMLS	R-3	MTRS	VMS
3,890	84	7.625	0.625	46.77	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
1,404	33	7.625	0.625	46.77	T-95 E	PE	SMLS	R-3	MTRS	VM TCA
3,623	97	7.625	0.625	47.10	T-95	TSH HW	SMLS	R-3	MTRS	TENARIS SD
472	11	7.625	0.625	46.77	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
876	20	7.625	0.625	46.77	P-110 RY	PE	SMLS	R-3	MTRS	VMS
41	1	7.625	0.625	46.77	Q-125 HC	PE	SMLS	R-3	MTRS	VSTAR
44	1	7.625	0.625	46.77	Q-125-1 HC	PE	SMLS	R-3	MTRS	VSTAR
2,313	51	7.625	0.625	46.77	Q-125-1	ANJO	SMLS	R-3	MTRS	TCA
517	13	7.625	0.625	46.77	Q-125-1	VAM SFC	SMLS	R-3	MTRS	TCA
85	2	7.625	0.625	47.10	Q-125-1	VAM SFC X-OVER	SMLS	R-3	MTRS	TCA
11,454	302	7.625	0.712	52.80	T-95	TSH HW	SMLS	R-3	MTRS	TENARIS SD
115	8	7.625	0.712	52.80	T-95	TSH HW	SMLS	R-1/2/3	MTRS	TENARIS SD
979	21	7.625	0.712	52.80	P-110	TSH HW	SMLS	R-3	MTRS	TENARIS SD
17	2	7.625	0.712	52.80	Q-125-1	PE	SMLS	DROP	MTRS	TENARIS SD
1,721	37	7.625	0.712	52.80	Q-125-1	TSH HW	SMLS	R-3	MTRS	TENARIS SD
1,047	24	7.625	0.750	55.12	T-95	PE	SMLS	R-3	MTRS	VM TCA
13,156	294	7.625	0.750	55.12	T-95	SLSF	SMLS	R-3	MTRS	TCA
6,099	144	7.625	0.750	55.12	Q-125-1 HC	SLIJ II	SMLS	R-3	MTRS	VMS
2,692	64	7.625	0.800	58.37	Q-125-1 HC	HDL	SMLS	R-3	MTRS	USS
415	10	7.625	0.812	59.14	C-110	PE	SMLS	R-3	MTRS	VM TCA
181	4	7.750	0.595	45.51	L-80	PE	SMLS	R-3	MTRS	VMS
2,710	60	7.750	0.595	45.51	T-95	PE	SMLS	R-3	MTRS	VM TCA
2,396	59	7.750	0.595	45.51	C-110	PE	SMLS	R-3	MTRS	VSTAR
658	17	7.750	0.595	45.51	C-110	PE	SMLS	R-3	MTRS	VM TCA
1,010	25	7.750	0.595	45.51	C-110 M	PE	SMLS	R-3	MTRS	VM TCA
356	8	7.750	0.595	45.51	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
2,674	68	7.750	0.595	45.51	Q-125-1	PE	SMLS	R-3	MTRS	VSTAR
1,549	35	7.750	0.595	45.51	Q-125-1 HC	PE	SMLS	R-3	MTRS	VMS
175	4	7.750	0.595	45.51	Q-125-1 HC	PE	SMLS	R-3	MTRS	VM TCA
714	16	7.750	0.595	45.51	Q-125-1 HCE	PE	SMLS	R-3	MTRS	VSTAR
1,986	43	7.750	0.595	45.51	Q-125-4	PE	SMLS	R-3	MTRS	VM TCA
2,319	50	7.750	0.595	46.10	Q-125-1 HC	SLSF	SMLS	R-3	MTRS	USS
18,360	444	8.625	0.352	31.13	J-55	PE	SMLS	R-3	MTRS	VSTAR
9,124	206	8.625	0.352	31.13	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
1,402	31	8.625	0.352	31.13	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
13,609	301	8.625	0.352	31.13	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
229	5	8.625	0.400	35.17	L-80	PE	SMLS	R-3	MTRS	VSTAR
27	1	8.625	0.400	35.17	L-80	PE	SMLS	R-1	MTRS	VSTAR
10,092	223	8.625	0.400	35.17	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
7,845	170	8.625	0.450	40.00	L-80	LTC	SMLS	R-3	MTRS	USS
384	10	9.375	0.400	38.38	Q-125-1	PE	SMLS	R-3	MTRS	VMS
2,050	47	9.375	0.400	38.38	Q-125-3 HC	PE	SMLS	R-3	MTRS	VMS
619	14	9.375	0.400	38.38	Q-125-1 HC	HYD 513	ERW	R-3	MTRS	USS
1,530	34	9.625	0.352	34.89	J-55	PE	SMLS	R-3	MTRS	VMS
461	10	9.625	0.352	36.00	J-55	BTC	SMLS	R-3	MTRS	VSTAR
4,515	98	9.625	0.352	34.89	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
3,969	88	9.625	0.352	34.89	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
288	7	9.625	0.395	40.00	K-55	LTC	SMLS	R-3	MTRS	VSF
5,057	110	9.625	0.395	38.97	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
2,438	54	9.625	0.395	40.00	L-80 HC	DWC/C	SMLS	R-3	MTRS	VSTAR
217	5	9.625	0.395	38.97	N-80 Q	PE	SMLS	R-3	MTRS	VMS
321	7	9.625	0.395	40.00	N-80 Q	LTC	SMLS	R-3	MTRS	VMS
13	1	9.625	0.395	38.97	P-110 EC	PE	SMLS	R-1	MTRS	VMS
657	15	9.625	0.395	40.00	P-110 EC	BTC	SMLS	R-3	MTRS	VMS
1,360	31	9.625	0.395	40.00	P-110 EC	LTC	SMLS	R-3	MTRS	VSTAR
87	2	9.625	0.395	40.00	P-110 EC	LTC	SMLS	R-3	MTRS	VMS
6,156	135	9.625	0.435	42.73	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
1,807	40	9.625	0.435	42.73	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
3,714	81	9.625	0.435	42.73	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
257	6	9.625	0.435	43.50	P-110 EC	BTC	SMLS	R-3	MTRS	VSTAR
929	21	9.625	0.435	42.73	TCA-150 (Q1)	PE	SMLS	R-3	MTRS	VM TCA
43	2	9.625	0.435	42.73	TCA-150 (Q1)	PE	SMLS	R-1	MTRS	VM TCA
8	1	9.625	0.472	46.18	L-80	PE	SMLS	DROP	MTRS	VMS
6,827	152	9.625	0.472	46.18	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
149	4	9.625	0.472	47.00	L-80	BTC MOD	SMLS	R-3	MTRS	VMS
142	3	9.625	0.472	47.00	N-80	LTC	SMLS	R-3	MTRS	USS
504	11	9.625	0.472	46.18	T-95	PE	SMLS	R-3	MTRS	VM TCA
1,592	40	9.625	0.472	46.18	P-110	PE	SMLS	R-3	MTRS	VMS
3,610	81	9.625	0.472	46.18	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
2,088	47	9.625	0.545	52.90	L-80	PE	SMLS	R-3	MTRS	VSTAR
2,582	58	9.625	0.545	52.90	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
9,073	208	9.625	0.545	52.90	T-95 E	PE	SMLS	R-3	MTRS	VSTAR

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
647	14	9.625	0.545	52.90	P-110	PE	SMLS	R-3	MTRS	VSTAR
6,319	140	9.625	0.545	52.90	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
1,104	25	9.625	0.545	53.50	P-110 EC	BTC	SMLS	R-3	MTRS	VSTAR
291	7	9.625	0.545	53.50	P-110 EC	LTC	SMLS	R-3	MTRS	VSTAR
1,143	27	9.625	0.545	52.90	Q-125 HCE	PE	SMLS	R-3	MTRS	VSTAR
1,007	22	9.625	0.545	52.90	Q-125-1	PE	SMLS	R-3	MTRS	VMS
2,912	66	9.625	0.545	52.90	Q-125-1 HC	PE	SMLS	R-3	MTRS	VMS
230	5	9.625	0.545	53.50	Q-125-1 HC	BTC	SMLS	R-3	MTRS	VMS
264	6	9.625	0.545	53.50	Q-125-1 HC	LTC	SMLS	R-3	MTRS	VMS
2,824	63	9.625	0.595	57.44	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
421	10	9.625	0.750	71.16	L-80	PE	SMLS	R-3	MTRS	VSTAR
495	11	9.875	0.489	49.06	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
287	7	9.875	0.625	61.80	SM95TS	PE	SMLS	R-3	MTRS	SUM
1,753	45	9.875	0.625	61.80	C-110	PE	SMLS	R-3	MTRS	VSTAR
1,870	49	9.875	0.625	61.80	C-110	PE	SMLS	R-3	MTRS	VM TCA
1,802	42	9.875	0.625	61.80	VM-110 HCSS-D	PE	SMLS	R-3	MTRS	VSTAR
391	9	9.875	0.625	61.80	P-110 EC	PE	SMLS	R-3	MTRS	VM TCA
252	6	9.875	0.625	61.80	P-110/VMS-95	PE	SMLS	R-3	MTRS	VMS
7,713	185	9.875	0.625	61.80	Q-125-1	PE	SMLS	R-3	MTRS	VMS
794	19	9.875	0.625	61.80	Q-125-1	PE	SMLS	R-3	MTRS	VM TCA
1,781	43	9.875	0.625	61.80	Q-125-1 HC	PE	SMLS	R-3	MTRS	VMS
3,565	93	9.875	0.625	61.80	VM-125 HC	PE	SMLS	R-3	MTRS	VSTAR
5,004	134	9.875	0.625	62.80	Q-125	VAM TOP	SMLS	R-3	MTRS	NSSMC
433	10	9.875	0.625	61.80	Q-125-1 HC	HYD 563	ERW	R-3	MTRS	USS
1,051	25	9.875	0.650	64.10	Q-125-1 HC	PE	SMLS	R-3	MTRS	VMS
7,155	172	9.875	0.678	66.66	VM-110SS	PE	SMLS	R-3	MTRS	VSTAR
1,880	48	9.875	0.678	66.66	VM-110SS	PE	SMLS	R-3	MTRS	VM TCA
6,661	163	10.125	0.795	79.29	Q-125-1 HC	PE	SMLS	R-3	MTRS	VMS
3,611	89	10.750	0.350	38.91	J-55	PE	SMLS	R-3	MTRS	VSTAR
8,547	200	10.750	0.350	38.91	L-80	PE	SMLS	R-3	MTRS	VSTAR
7	1	10.750	0.400	44.26	L-80	PE	SMLS	DROP	MTRS	VSTAR
15,212	341	10.750	0.400	44.26	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
2,946	66	10.750	0.400	44.26	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
46	1	10.750	0.400	44.26	P-110 EC	PE	SMLS	R-3	MTRS	VMS
1,970	45	10.750	0.450	49.55	L-80 1CR	PE	SMLS	R-3	MTRS	VSTAR
5,971	130	10.750	0.450	49.55	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
698	15	10.750	0.450	51.00	L-80 HC	BTM	SMLS	R-3	MTRS	VSTAR
440	10	10.750	0.450	49.55	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
930	22	10.750	0.495	54.26	L-80	PE	SMLS	R-3	MTRS	VMS
2,309	59	10.750	0.545	60.70	13CR-80	VAM TOP	SMLS	R-3	MTRS	SUM

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
890	19	10.750	0.545	59.45	P-110 EC	PE	SMLS	R-3	MTRS	VSTAR
1,462	33	10.750	0.595	64.59	L-80	PE	SMLS	R-3	MTRS	VMS
3,444	77	10.750	0.595	64.59	L-80 HC	PE	SMLS	R-3	MTRS	VSTAR
1,565	36	10.750	0.595	64.59	L-80 HC	PE	SMLS	R-3	MTRS	VM TCA
185	4	10.750	0.595	65.70	L-80	VAM TOP	SMLS	R-3	MTRS	VMS
125	3	10.750	0.595	64.53	C-90	PE	SMLS	R-3	MTRS	SUM
434	11	10.750	0.595	65.70	C-90	VAM TOP	SMLS	R-3	MTRS	SUM
1,589	41	10.750	0.595	64.59	C-110	PE	SMLS	R-3	MTRS	VM TCA
153	4	10.750	0.672	72.40	C-110	PE	SMLS	R-3	MTRS	VSTAR
1,999	46	10.750	0.734	78.59	Q-125-1 HC	PE	SMLS	R-3	MTRS	VMS
782	20	10.750	0.797	84.80	Q-125-1	PE	SMLS	R-3	MTRS	VM TCA
760	17	11.750	0.489	60.00	L-80	TSH 513	SMLS	R-3	MTRS	TEN- TM
2,136	50	11.750	0.691	81.69	T-95 E	PE	SMLS	R-3	MTRS	VSTAR
1,974	46	11.750	0.765	89.83	T-95 E	PE	SMLS	R-3	MTRS	VSTAR
2,164	53	11.750	0.860	100.12	C-110	PE	SMLS	R-3	MTRS	VM TCA
1,461	35	11.750	0.860	100.12	VM-110 HCSS	PE	SMLS	R-3	MTRS	VSTAR
42	1	11.875	0.582	70.26	Q-125-1 HC	PE	SMLS	R-3	MTRS	VM TCA
30	1	11.875	0.582	70.26	TN-125 HC	PE	SMLS	R-2	MTRS	TAMSA
227	6	11.875	0.582	70.26	VM-125 HC	PE	SMLS	R-3	MTRS	VSTAR
1,514	39	11.875	0.582	70.26	VM-125 HC	PE	SMLS	R-3	MTRS	MANN
134	3	11.875	0.582	70.26	Q-125-1 HC	HYD 523	ERW	R-3	MTRS	USS
43	1	11.875	0.582	70.26	TN-125 HC	HYD SLX	SMLS	R-3	MTRS	TAMSA
16	2	13.375	0.480	68.00	L-80	PE	SMLS	DROP	MTRS	TEN- TM
231	6	13.375	0.480	68.00	L-80	BTC	SMLS	R-3	MTRS	TEN- TM
39	1	13.375	0.514	70.67	L-80	PE	SMLS	R-3	MTRS	SUM
1,084	27	13.375	0.514	72.00	L-80	SLIJ II	SMLS	R-3	MTRS	SUM
357	9	13.375	0.514	70.67	Q-125-1	PE	SMLS	R-3	MTRS	USS
570	13	13.375	0.514	70.67	Q-125-1	HYD 523	SMLS	R-3	MTRS	USS
1,012	25	13.625	0.625	88.20	P-110 EC	VAM TOP	SMLS	R-3	MTRS	V&M
284	7	13.625	0.625	86.86	Q-125-1	HYD SLX	SMLS	R-3	MTRS	USS
372	9	13.625	0.625	86.86	Q-125-1 HC	HYD 523	SMLS	R-3	MTRS	USS
45	1	13.625	0.625	86.86	Q-125-1 HC	HYD 523	SMLS	R-3	MTRS	TAMSA
1,382	33	13.625	0.625	86.86	Q-125-1 HC	HYD 523	ERW	R-3	MTRS	USS
437	10	13.625	0.625	86.86	Q-125-1 HC	HYD SLX	ERW	R-3	MTRS	USS
175	4	13.625	0.625	86.86	Q-125-3 HC	BTO	ERW	R-3	MTRS	USS
40	1	13.625	0.625	88.20	Q-125	VAM TOP	SMLS	R-3	MTRS	NSSMC
7,153	185	14.000	0.800	112.89	VM-125 HC	PE	SMLS	R-3	MTRS	VSTAR
160	4	14.000	0.800	112.89	VM-125 HC	PE	SMLS	R-3	MTRS	VM TCA
1,057	29	14.000	0.800	114.00	SM-125TT	VAM TOP	SMLS	R-3	MTRS	NSSMC
669	16	14.000	0.812	114.48	VM-95HCSS	PE	SMLS	R-3	MTRS	VM TCA

Footage	Joints	OD	Wall	Weight	Grade	End Finish	Process	Range	Status	MFG
116	3	14.000	0.812	114.48	VM-125 CY	PE	SMLS	R-3	MTRS	VSTAR
421	11	14.000	0.812	114.48	VM-125 HC	PE	SMLS	R-3	MTRS	VSTAR
117	3	14.000	0.812	114.48	VM125HC	PE	SMLS	R-3	MTRS	VSTAR
1,945	45	14.000	0.820	115.53	Q-125-1	PE	SMLS	R-3	MTRS	VM TCA
179	5	14.000	0.820	115.53	Q-125-1	PE	SMLS	R-3	MTRS	USS
71	2	14.000	0.820	115.53	VM-125 HYHC	PE	SMLS	R-3	MTRS	VSTAR
921	24	14.000	0.820	115.53	VM125HYHC	PE	SMLS	R-3	MTRS	VSTAR
238	6	16.000	0.375	62.57	H-40	PE	ERW	R-3	MTRS	TEN
780	19	16.000	0.575	94.81	P-110	PE	SMLS	R-3	MTRS	USS
252	6	16.000	0.575	94.81	P-110 HC	HYD 511 IJ	SMLS	R-3	MTRS	USS
84	2	16.000	0.575	97.00	P-110	BTC	SMLS	R-3	MTRS	USS
509	13	16.000	0.575	94.81	Q-125-1 HC	PE	SMLS	R-3	MTRS	USS
2,783	70	16.000	0.575	94.81	Q-125-1	HYD 511	SMLS	R-3	MTRS	USS
1,851	44	16.000	0.575	94.81	Q-125-1 HC	HYD 511	SMLS	R-3	MTRS	USS
84	2	16.000	0.575	94.81	Q-125-1 HC	HYD 513	SMLS	R-3	MTRS	USS
294	7	16.000	0.656	109.00	P-110 IC	TSH 513	SMLS	R-3	MTRS	DAL
1,661	39	16.000	0.656	107.60	VM-125	PE	SMLS	R-3	MTRS	VSTAR
1,844	44	16.000	0.656	107.60	VM-125 HC	PE	SMLS	R-3	MTRS	VSTAR
40	3	18.625	0.520	103.50	N-80	PE	SMLS	R-1	MTRS	USS
84	2	18.625	0.520	103.50	N-80	BTC	SMLS	R-3	MTRS	USS
603	16	20.000	0.635	133.00	K-55	BTC	SMLS	R-3	MTRS	DAL
821	21	20.000	0.635	133.00	NT-80	BIG OMEGA	ERW	R-3	MTRS	NSSMC